

# Coachman Specifications **2014**



*the journey starts here*



Model	380/2	450/2	520/4	560/4	565/4	570/6	580/5	640/6
<b>Number of Berths</b>	2	2	4	4	4	6	5	6
<b>Interior Length</b>	4023mm / 13' 2"	4625mm / 15' 2"	5295mm / 17' 4"	5650mm / 18' 6"	5750mm / 18' 10"	5750mm / 18' 10"	5750mm / 18' 10"	6050mm / 19' 10"
<b>Shipping Length</b>	5653mm / 18' 7"	6255mm / 20' 6"	6925mm / 22' 9"	7280mm / 23' 11"	7380mm / 24' 3"	7380mm / 24' 3"	7380mm / 24' 3"	7680mm / 25' 2"
<b>Overall Width</b>	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
<b>Overall Height (exc. T.V Aerial)</b>	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
<b>Maximum Headroom</b>	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
<b>Interior Width</b>	2110mm / 6' 11"	2110mm / 6' 11"	2110mm / 6' 11"	2110mm / 6' 11"	2110mm / 6' 11"	2110mm / 6' 11"	2110mm / 6' 11"	2110mm / 6' 11"
<b>Wheel Rim</b>	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	6.0J x 15	6.0J x 15	6.0J x 15	5.5J x 14
<b>Tyre Size</b>	175 R14 99	185 R14 102	185 R14 102	185 R14 102	195/70 R15 104	195/70 R15 104	195/70 R15 104	185/70 R14 88
<b>Tyre Pressure (at quoted MTPLM)</b>	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	2.4 bar / 35 psi
<b>Bed Sizes Option 1</b>	2 x Single 1860mm x 730mm (6' 1" x 2' 4")	2 x Single 1860mm x 730mm (6' 1" x 2' 4")	2 x Single 1860mm x 730mm (6' 1" x 2' 4")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	2 x Single 1540mm x 730mm (5' 1" x 2' 4")  1 x Double 1900mm x 1320mm (6' 3" x 4' 4")	2 x Single 1540mm x 730mm (5' 1" x 2' 4")  2 x Single (1880mm & 1830mm) x 720mm (6' 2" & 6' 0" x 2' 4")	2 x Single 1740mm x 730mm (5' 9" x 2' 4")  1 x Single (rear) 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1770mm x 610mm (5' 10" x 2' 0")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")	2 x Single 1740mm x 730mm (5' 9" x 2' 4")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")	2 x Single 1860mm x 730mm (6' 1" x 2' 4")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1770mm x 610mm (5' 10" x 2' 0")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")
<b>Bed Sizes Option 2</b>	1 x Double 2040mm x 1500mm (6' 8" x 4' 11")	1 x Double 2040mm x 1500mm (6' 8" x 4' 11")	1 x Double 2040mm x 1500mm (6' 8" x 4' 11")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	1 x Double 2040mm x 1180mm (6' 8" x 3' 10")  1 x Double 1900mm x 1320mm (6' 3" x 4' 4")	1 x Double 2040mm x 1180mm (6' 8" x 3' 10")  2 x Single (1880mm & 1830mm) x 720mm (6' 2" & 6' 0" x 2' 4")	1 x Double 2040mm x 1380mm (6' 8" x 4' 6")  1 x Single (rear) 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1770mm x 610mm (5' 10" x 2' 0")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")	1 x Double 2040mm x 1380mm (6' 8" x 4' 6")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")	1 x Double 2040mm x 1500mm (6' 8" x 4' 11")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1770mm x 610mm (5' 10" x 2' 0")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")
<b>M.T.P.L.M</b>	1215kg / 23.9cwt	1325kg / 26.1cwt	1470kg / 28.9cwt	1520kg / 29.9cwt	1565kg / 30.8cwt	1595kg / 31.4cwt	1565kg / 30.8cwt	1690kg / 33.2cwt
<b>Mass in Running Order</b>	1097kg / 21.6cwt	1202kg / 23.7cwt	1320kg / 25.9cwt	1366kg / 26.9cwt	1410kg / 27.8cwt	1420kg / 28cwt	1400kg / 27.6cwt	1512kg / 29.8cwt
<b>Personal Payload</b>	118kg / 2.3cwt	123kg / 2.4cwt	150kg / 3cwt	154kg / 3cwt	155kg / 3.1cwt	175kg / 3.4cwt	165kg / 3.2cwt	178kg / 3.5cwt
<b>Options Payload</b>	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
<b>Total / Maximum User Payload</b>	118kg / 2.3cwt	123kg / 2.4cwt	150kg / 3cwt	154kg / 3cwt	155kg / 3.1cwt	175kg / 3.4cwt	165kg / 3.2cwt	178kg / 3.5cwt
<b>Maximum Hitch Weight</b>	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
<b>Empty Noseweight</b>	70kg / 1.4cwt	58kg / 1.1cwt	54kg / 1.1cwt	62kg / 1.2cwt	59kg / 1.1cwt	63kg / 1.2cwt	62kg / 1.2cwt	40kg / 0.8cwt
<b>Awning Size</b>	840cm	900cm	975cm	1005cm	1015cm	1015cm	1015cm	1045cm

Model	460/2	520/4	525/4	545/4	560/4	565/4
<b>Number of Berths</b>	2	4	4	4	4	4
<b>Interior Length</b>	4852mm / 15' 11"	5540mm / 18' 2"	5800mm / 19' 0"	5800mm / 19' 0"	5800mm / 19' 0"	5800mm / 19' 0"
<b>Shipping Length</b>	6507mm / 21' 4"	7195mm / 23' 7"	7455mm / 23' 6"	7455mm / 24' 6"	7455mm / 24' 6"	7455mm / 24' 6"
<b>Overall Width</b>	2320mm / 7' 7"	2320mm / 7' 7"	2320mm / 7' 7"	2320mm / 7' 7"	2320mm / 7' 7"	2320mm / 7' 7"
<b>Overall Height (exc.T.V Aerial)</b>	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
<b>Maximum Headroom</b>	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
<b>Interior Width</b>	2170mm / 7' 1"	2170mm / 7' 1"	2170mm / 7' 1"	2170mm / 7' 1"	2170mm / 7' 1"	2170mm / 7' 1"
<b>Wheel Rim</b>	5.5J x 14	6.0J x 15	6.0J x 15	6.0J x 15	6.0J x 15	6.0J x 15
<b>Tyre Size</b>	185 R14 102	195/70 R15 104	195/70 R15 104	195/70 R15 104	195/70 R15 104	195/70 R15 104
<b>Tyre Pressure (at quoted MTPLM)</b>	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi
<b>Bed Sizes Option 1</b>	2 x Single 1880mm x 760mm (6' 2" x 2' 6")	2 x Single 1880mm x 760mm (6' 2" x 2' 6")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	2 x Single 1880mm x 760mm (6' 2" x 2' 6")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")	1 x Single 1600mm x 760mm (5' 3" x 2' 6")  1 x Single 1580mm x 760mm (5' 2" x 2' 6")  1 x Double 1830mm x 1380mm (6' 0" x 4' 6")	1 x Single 1650mm x 760mm (5' 5" x 2' 6")  1 x Single 1570mm x 760mm (5' 2" x 2' 6")  1 x Double 1880mm x 1370mm (6' 2" x 4' 6")	1 x Single 1510mm x 760mm (4' 11" x 2' 6")  1 x Single 1580mm x 760mm (5' 2" x 2' 6")  2 x Singles (1880mm & 1830mm) x 720mm (6' 2" & 6' 0" x 2' 4")
<b>Bed Sizes Option 2</b>	1 x Double 2110mm x 1470mm (6' 11" x 4' 10")	1 x Double 2110mm x 1470mm (6' 11" x 4' 10")  1 x Single 1830mm x 720mm (6' 0" x 2' 4")  1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	1 x Double 2110mm x 1470mm (6' 11" x 4' 10")  2 x Single Bunks 1740mm x 620mm (5' 9" x 2' 0")	1 x Double 2110mm x 1160mm (6' 11" x 3' 10")  1 x Double 1830mm x 1380mm (6' 0" x 4' 6")	1 x Double 2110mm x 1160mm (6' 11" x 3' 10")  1 x Double 1880mm x 1370mm (6' 2" x 4' 6")	1 x Double 2110mm x 1100mm (6' 11" x 3' 7")  2 x Singles (1880mm & 1830mm) x 720mm (6' 2" & 6' 0" x 2' 4")
<b>M.T.P.L.M</b>	1425kg / 28.1cwt	1590kg / 31.3cwt	1650kg / 32.5cwt	1610kg / 31.7cwt	1620kg / 31.9cwt	1630kg / 32.1cwt
<b>Mass in Running Order</b>	1300kg / 25.6cwt	1438kg / 28.3cwt	1495kg / 29.4cwt	1455kg / 28.6cwt	1465kg / 28.8cwt	1475kg / 29cwt
<b>Personal Payload</b>	125kg / 2.5cwt	152kg / 3cwt	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt
<b>Options Payload</b>	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
<b>Total / Maximum User Payload</b>	125kg / 2.5cwt	152kg / 3cwt	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt
<b>Maximum Hitch Weight</b>	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
<b>Empty Noseweight</b>	60kg / 1.2cwt	62kg / 1.2cwt	39kg / 0.8cwt	62kg / 1.2cwt	50kg / 1cwt	55kg / 1.1cwt
<b>Awning Size</b>	938cm	1004cm	1038cm	1038cm	1038cm	1038cm

Model	460/2	520/4	545/4	560/4	565/4
<b>Number of Berths</b>	2	4	4	4	4
<b>Interior Length</b>	4852mm / 15' 11"	5540mm / 18' 2"	5800mm / 19' 0"	5800mm / 19' 0"	5800mm / 19' 0"
<b>Shipping Length</b>	6507mm / 21' 4"	7195mm / 23' 7"	7455mm / 24' 6"	7455mm / 24' 6"	7455mm / 24' 6"
<b>Overall Width</b>	2320mm / 7' 7"	2320mm / 7' 7"	2320mm / 7' 7"	2320mm / 7' 7"	2320mm / 7' 7"
<b>Overall Height (exc. T.V Aerial)</b>	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
<b>Maximum Headroom</b>	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
<b>Interior Width</b>	2170mm / 7' 1"	2170mm / 7' 1"	2170mm / 7' 1"	2170mm / 7' 1"	2170mm / 7' 1"
<b>Wheel Rim</b>	5.5J x 14	6.0J x 15	6.0J x 15	6.0J x 15	6.0J x 15
<b>Tyre Size</b>	185 R14 102	195/70 R15 104	195/70 R15 104	195/70 R15 104	195/70 R15 104
<b>Tyre Pressure (at quoted MTPLM)</b>	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi	4.5 bar / 65 psi
<b>Bed Sizes</b>	2 x Single	2 x Single	1 x Single	1 x Single	1 x Single
<b>Option 1</b>	1880mm x 760mm (6' 2" x 2' 6")	1880mm x 760mm (6' 2" x 2' 6") 1 x Single 1830mm x 720mm (6' 0" x 2' 4") 1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	1600mm x 760mm (5' 3" x 2' 6") 1 x Single 1580mm x 760mm (5' 2" x 2' 6") 1 x Double 1830mm x 1380mm (6' 0" x 4' 6")	1650mm x 760mm (5' 5" x 2' 6") 1 x Single 1570mm x 760mm (5' 2" x 2' 6") 1 x Double 1880mm x 1370mm (6' 2" x 4' 6")	1510mm x 760mm (4' 11" x 2' 6") 1 x Single 1580mm x 760mm (5' 2" x 2' 6") 2 x Singles (1880mm & 1830mm) x 720mm (6' 2" & 6' 0" x 2' 4")
<b>Bed Sizes</b>	1 x Double	1 x Double	1 x Double	1 x Double	1 x Double
<b>Option 2</b>	2110mm x 1470mm (6' 11" x 4' 10")	2110mm x 1470mm (6' 11" x 4' 10") 1 x Single 1830mm x 720mm (6' 0" x 2' 4") 1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	2110mm x 1160mm (6' 11" x 3' 10") 1 x Double 1830mm x 1380mm (6' 0" x 4' 6")	2110mm x 1160mm (6' 11" x 3' 10") 1 x Double 1880mm x 1370mm (6' 2" x 4' 6")	2110mm x 1100mm (6' 11" x 3' 7") 2 x Singles (1880mm & 1830mm) x 720mm (6' 2" & 6' 0" x 2' 4")
<b>M.T.P.L.M</b>	1455kg / 28.6cwt	1600kg / 31.5cwt	1630kg / 32.1cwt	1640kg / 32.3cwt	1645kg / 32.4cwt
<b>Mass in Running Order</b>	1330kg / 26.2cwt	1448kg / 28.5cwt	1475kg / 29cwt	1485kg / 29.2cwt	1490kg / 29.3cwt
<b>Personal Payload</b>	125kg / 2.4cwt	152kg / 3cwt	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt
<b>Options Payload</b>	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
<b>Total / Maximum User Payload</b>	125kg / 2.4cwt	152kg / 3cwt	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt
<b>Maximum Hitch Weight</b>	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
<b>Empty Noseweight</b>	56kg / 1.1cwt	63kg / 1.2cwt	60kg / 1.2cwt	50kg / 1cwt	55kg / 1.1cwt
<b>Awning Size</b>	938 cm	1004 cm	1038 cm	1038 cm	1038 cm

Model	620/4	640/4
<b>Number of Berths</b>	4	4
<b>Interior Length</b>	6215mm / 20' 5"	6215mm / 20' 5"
<b>Shipping Length</b>	7870mm / 25' 10"	7870mm / 25' 10"
<b>Overall Width</b>	2320mm / 7' 7"	2320mm / 7' 7"
<b>Overall Height (exc. T.V Aerial) *</b>	2650mm / 8' 8"	2650mm / 8' 8"
<b>Maximum Headroom</b>	1955mm / 6' 5"	1955mm / 6' 5"
<b>Interior Width</b>	2170mm / 7' 1"	2170mm / 7' 1"
<b>Wheel Rim</b>	5.5J x 14	5.5J x 14
<b>Tyre Size</b>	185/70 R14 88	185/70 R14 88
<b>Tyre Pressure (at quoted MTPLM)</b>	2.4 bar / 35 psi	2.4 bar / 35 psi
<b>Bed Sizes</b>	2 x Single	1 x Single
<b>Option 1</b>	1880mm x 740mm (6' 2" x 2' 5") 1 x Single 1830mm x 820mm (6' 0" x 2' 8") 1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	1780mm x 740mm (5' 10" x 2' 5") 1 x Single 1600mm x 740mm (5' 3" x 2' 5") 1 x Double 1880mm x 1370mm (6' 2" x 4' 6")
<b>Bed Sizes</b>	1 x Double	1 x Double
<b>Option 2</b>	2080mm x 1450mm (6' 10" x 4' 9") 1 x Single 1830mm x 820mm (6' 0" x 2' 8") 1 x Single Bunk 1760mm x 610mm (5' 9" x 2' 0")	2080mm x 1370mm (6' 10" x 4' 6") 1 x Double 1880mm x 1370mm (6' 2" x 4' 6")
<b>M.T.P.L.M</b>	1880kg / 37cwt	1825kg / 35.9cwt
<b>Mass in Running Order</b>	1721kg / 33.9cwt	1666kg / 32.8cwt
<b>Personal Payload</b>	159kg / 3.1cwt	159kg / 3.1cwt
<b>Options Payload</b>	0kg / 0cwt	0kg / 0cwt
<b>Total / Maximum User Payload</b>	159kg / 3.1cwt	159kg / 3.1cwt
<b>Maximum Hitch Weight</b>	100kg / 1.9cwt	100kg / 1.9cwt
<b>Empty Noseweight</b>	50kg / 1cwt	70kg / 1.4cwt
<b>Awning Size</b>	1070cm	1070cm

\* Note:- If air conditioner fitted, overall height will be greater than value specified above

1. Imperial conversions are approximate.
2. Awning dimensions represent the shortest ground to ground awning measurements for 2014 model year Coachman caravans. We do however strongly recommend that you consult your awning supplier before making a purchase as awning manufacturers have different methods of sizing their products.
3. Van height is given with the T.V aerial removed.



**Coachman Caravan Company Limited**  
Amsterdam Road  
Sutton Fields Industrial Estate  
Hull HU7 0XF

**Telephone:** 01482 839737  
**Fax:** 01482 878143  
**Email:** sales@coachman.co.uk  
**Aftercare Telephone:** 01482 877405  
**Aftercare Email:** aftercare@coachman.co.uk

*the journey starts here*



[www.coachman.co.uk](http://www.coachman.co.uk)

This brochure has been designed to provide you with basic information prior to making a purchase decision. Please refer to your dealer for additional information before you buy.

Coachman Caravan Company Limited reserves the right to alter technical specifications, prices and model ranges as materials and conditions demand and can accept no responsibility for discrepancies between these and subsequent models. Household items illustrated in the brochure (e.g. fruit and personal effects) have been used to enhance photography and are not supplied with the caravan. Limitations in the printing process may mean colours are not truly represented.

It should be noted that distributors and dealers are not the agents of Coachman Caravan Company Limited and therefore are not authorised to bind the Company by any specific or implied undertaking or representation.

Please note: Touring caravans are designated by the model year. The model year runs from the 1st September to the 31st August: for example a 2014 year model would have been despatched by the manufacturer no earlier than the 15th August, 2013.

All Coachman models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice, specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions to gas, electrics and ventilation. Every Coachman caravan carries the "NCC Approved Caravan" badge. The NCC also conducts unannounced inspections at the Coachman factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

The tow cars used in this brochure are for illustration purposes only.

As the owner of a Coachman caravan, you will be automatically entitled to join our Owners' Club. For more information about the Club, please contact: The Membership Officer, Coachman Owners' Club, 49 Regency Gardens, Yardley Wood, Birmingham B14 4JS. Or visit their website: [www.coachmanclub.co.uk](http://www.coachmanclub.co.uk)

Photography: [www.markkennett.com](http://www.markkennett.com)

